Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	1842	(double twice triple several multiple multi two three time) near1 (encrypt\$3 cipher\$3 encipher\$3 cryptographi\$5) same (stor\$3 archiv\$3 preserv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/18 16:24
L10	13	9 and ((headend head) near1 (encrypt\$3 cipher\$3 cryptographi\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/18 17:10
L11	521	9 and ((sender sending transmitting transmitter broadcast\$3 forwarding forwarder originator originating origine source initiator initiating origination) near1 (encrypt\$3 cipher\$3 encipher\$3 cryptographi\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 17:12
L12	155	11 and ((double twice triple several multiple multi two three time) near1 (destination receiver receiving subscrib\$4 target recipient end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR "	OFF	2006/12/18 16:46
L13	6	12 and ((second third) adj1 (encrypted ciphertext) same (first adj1 (encrypted ciphertext)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 16:52
L14	74	9 and (headend head-end (head adjend))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 17:10
L15		14 and ((headend head-end (head adj end)) near1 (encrypt\$3 cipher\$3 encipher\$3 cryptographi\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/18 19:05

			Ι .	T	l <del></del>	T
L17	2	"5600573".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 17:42
L18	3	US-5237610-\$.DID. OR US-5406627-\$.DID. OR US-6055314-\$.DID.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/18 18:02
L19	29278	(headend head-end (head adj end) sender sending transmitting transmitter broadcast\$3 forwarding forwarder originator originating origine source initiator initiating origination) same ((encrypt\$3 cipher\$3 encipher\$3 scrambl\$3) with (encrypted ciphered enciphered scrambled))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 19:10
L20	88813	((encrypt\$3 cipher\$3 encipher\$3 scrambl\$3) with (encrypted ciphered enciphered scrambled))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 19:10
L21	10286	(headend head-end (head adj end) sender transmitter broadcaster forwarder originator initiator) same ((encrypt\$3 cipher\$3 encipher\$3 scrambl\$3) with (encrypted ciphered enciphered scrambled))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 19:12
L22	7417	(headend head-end (head adj end) sender transmitter broadcaster forwarder originator initiator) same (encrypt\$3 with encrypted)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 19:34
L23	983	(headend head-end (head adj end) sender transmitter broadcaster forwarder originator initiator) same (encrypt\$3 near2 encrypted)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 19:12

		<del>[</del>	1		1	T
L24	957	(headend head-end sender transmitter broadcaster forwarder originator initiator) same (encrypt\$3 near2 encrypted)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 19:14
L25	306	24 and ((headend head-end sender transmitter broadcaster forwarder originator initiator) near1 encrypt\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR 	OFF	2006/12/18 19:13
L26	233	24 and ((headend head-end sender transmitter broadcaster forwarder originator initiator) adj1 encrypt\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/18 19:13
L27	53	26 and ((destination receiver receiving subscrib\$4 target recipient end) near2 (encrypt\$3 near2 encrypted))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 19:15
L28	36	26 and ((destination receiver receiving subscrib\$4 target recipient end) adj2 (encrypt\$3 near2 encrypted))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/12/18 19:16
L29	635	(headend head-end (head adj end)) same (encrypt\$3 with encrypted)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/18 19:35
L30	104	(headend head-end (head adj end)) same (encrypt\$3 with encrypted). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/18 19:44

L31	71	30 and @ad<"20011211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR 	ON	2006/12/18 19:36
L33	12	(headend head-end (head adj end)) same ((reencrypt\$3 re-encrypt\$3) near5 encrypted)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR 	OFF	2006/12/18 19:50
L34	1614	(reencrypt\$3 re-encrypt\$3) near5 encrypted	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 19:52
L35	109	34 and ((reencrypt\$3 re-encrypt\$3) near2 (destination receiver receiving subscrib\$4 target recipient end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/18 20:00
L38	500	(reencrypt reencrypting re-encrypt re-encrypting) with encrypted	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/18 20:07
L39	14	38 and ((headend head-end (head adj end)) near5 encrypt\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 19:55
L41	47512	(headend head-end sender transmitter broadcaster forwarder originator initiator) near3 (transfer\$5 transmit\$4 send\$3 forward\$3) near3 (destination receiver receiving recipient store archiv\$3 storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 20:06

L42	16	41 and ((reencrypt reencrypting re-encrypt re-encrypting) near3 encrypted)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/18 20:07
L43	2	"6341164".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/12/18 20:18